

TECHSPEC® 0.75X SilverTL™ Telecentric Lens



0.75X Magnification



Stock **#67-731** ☐ In Stock

1

£956.25

ADD TO CART

Qty 1+

£956.25

Volume Pricing

[Request Quote](#)

Prices shown are exclusive of VAT/local taxes

Get Product Downloads

Length excluding Threads (mm):
151.20

Horizontal Field of View, 1/2" Sensor:
8.5mm

Horizontal Field of View, 2/3" Sensor:
11.7mm

Filter Thread:

M30.5 x 0.50 (Female)
Maximum Diameter (mm): 36.00
Weight (g): 208
Horizontal Field of View, 1/3" Sensor: 6.4mm
Numerical Aperture NA, Object Side: 0.062
Working Distance Tolerance (mm): ±3
Stock No. of Mounting Clamp: #56-870 Sold Separately
Resolution, Image Space MTF @ f/10: >40% @ 40 lp/mm
Number of Elements (Groups): 6 (5)
Note: SilverTL™
Typical Telecentricity @ 588nm (°): <0.080
Typical Distortion @ 588nm (%): <0.080
Type: Telecentric Lens
Primary Magnification PMAG: 0.75X
Maximum Sensor Format: 2/3"
Working Distance (mm): 100.00
Mount: C-Mount
Aperture (f/#): f/6 - f/22
Coating: 425 - 675nm BBAR
Construction: Anodized Aluminum
Depth of Field (mm): ±0.8 at f/10 (20% @ 20 lp/mm)
FOV @ Max Sensor Format, H x V (mm): 11.7 x 8.8
Lens Wavelength Range: VIS

Regulatory Compliance

RoHS 2015: Compliant
Reach 224: Compliant
Certificate of Conformance: View