NOTES:


SUBSTRATE:
 Zinc Sulfide Multispectral


- 2. SURFACE S2 TO BE PARALLEL WITH S1 TO <1 ARCMIN
- 3. COATING (APPLY ACROSS CLEAR APERTURE) \$1 & \$2: RAVG <5.0% @ 3 - 12µm



5. Rohs Compliant







FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

			_	
	\$1	\$2		
SHAPE	PLANO	PLANO		
SURFACE QUALITY	60-40	60-40	THIRD ANGLE _ PROJECTION	-
SURFACE FLATNESS	λ/10 @ 10.6μm	λ/10 @ 10.6μm		
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN	

		15	Edmund Optic	\$S®
THIRD ANGLE PROJECTION	ϕ	TITLE	25mm Diameter 3-12µm AR, Zinc Sul Multispectral Window	fide
ALL DIMS IN	mm	DWG NO	64145	SHEET 1 OF 1