## NOTES:


1. SUBSTRATE MATERIAL: N-BK7

2. COATING (APPLY ACROSS CLEAR APERTURE)

S1 & S2: NONE



- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICAIONS APPLY ACROSS CLEAR APERTURE
- 5. Rohs Compliant



## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

 $5.0^{+0.0}_{-0.2}$ 

REV. A	S1	S2				
SHAPE	CONVEX	PLANO	EFL	30		Edmund Ontice
RADIUS	15.5	∞	BFL	28.02		Edmund Optics®
SURFACE QUALITY	60-40	60-40		1		5mm H X 10mm L X 30mm FL UNCOATED,
CLEAR APERTURE	4.00 X 9.00	4.00 X 9.00	THIRD ANGLE PROJECTION		TITLE	CYLINDER LENS
COATING APERTURE	4.00 X 9.00	4.00 X 9.00				
BEVEL	PROTECTED AS NEEDED	PROTECTED AS NEEDED	ALL DIMS IN	mm	DWG NO	43858 SHEET 1 OF 1