## NOTES:

1. SUBSTRATE: N-BK7

- 2. SURFACE S2 TO BE PARALLEL TO SURFACE S1 TO WITHIN <3 ARCMIN
- 3. COATING (APPLY ACROSS COATING APERTURE)


\$1: R(ABS) >99% @ 532nm @ 45° AOI


S2: NONE

4

FINE GRIND SURFACE

5. ROHS: COMPLIANT





## FOR INFORMATION ONLY: DO NOT MANUFACTURE PARTS TO THIS DRAWING

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE DIMENSIONS ARE FOR REFERENCE ONLY

SHAPE	\$1 PLANO	S2 PLANO		B	Edmund Optics
SURFACE QUALITY	20-10	COMMERCIAL POLISH			25.4mm DIA. 532nm 45°, LOW COST LASER LINE
SURFACE FLATNESS	λ/10	N/A	THIRD ANGLE PROJECTION	TITLE	MIRROR
MIN CLEAR APERTURE	Ø22.86	N/A			CUET
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED	ALL DIMS IN mm	DWG NO	11073 SHEET 1 OF 1

