





FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	94
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	710
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	630±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	540
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66096

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	96
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	750
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	665±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	580
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66099

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	96
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	780
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	695±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	610
WAVELENGTH	VIS
BEVEL	PROTECTIVE AS NEEDED

Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66100

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	96
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	810
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	715±9
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	620
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66101

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	97
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	900
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	780±9
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	610
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66104

SHEET
1 OF 1

**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	97
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	950
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	830±9
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	670
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66106

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	97
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	1200
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	850±9
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	700
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

Edmund Optics®



ALL DIMS IN

mm

TITLE





Ø50mm, Longpass Glass Color Filter

DWG NO

66107

SHEET
1 OF 1

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



LONGPASS FILTER

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

REV. A	VALUE
SHAPE	PLANO
SPECTRAL TRANSMITTANCE $\tau_{ip}(\%)$	90
PASSBAND LIMIT $\lambda_{pl} \text{ (nm)}$	1300
CUT-OFF POSITION $\lambda_c \text{ (nm)}$	1000±6
STOPBAND LIMIT $\lambda_s \text{ (nm)}$	730
WAVELENGTH	IR
BEVEL	PROTECTIVE AS NEEDED

 Edmund Optics®



ALL DIMS IN

mm

TITLE

Ø50mm, Longpass Glass Color Filter

DWG NO

66108

SHEET
1 OF 1