


NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY


	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

THIRD ANGLE PROJECTION		TITLE	OD 0.3, Ø25mm REFLECTIVE ND FILTER
ALL DIMS IN	mm	DWG NO	30933
			SHEET 1 OF 1

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED


Edmund Optics®

THIRD ANGLE PROJECTION	TITLE	OD 0.5, Ø25mm REFLECTIVE ND FILTER	
ALL DIMS IN	mm	DWG NO	30934
			SHEET 1 OF 1

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT




SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

THIRD ANGLE PROJECTION

ALL DIMS IN mm


 **Edmund Optics®**

TITLE	OD 1, Ø25mm REFLECTIVE ND FILTER		
DWG NO	30935	SHEET 1 OF 1	

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**





3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY


	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

		 Edmund Optics®				
		TITLE		OD 1.3, Ø25mm REFLECTIVE ND FILTER		
ALL DIMS IN	mm	DWG NO	30936			SHEET 1 OF 1

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY


	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

				TITLE		OD 1.5, Ø25mm REFLECTIVE ND FILTER	
THIRD ANGLE PROJECTION		ALL DIMS IN		mm	DWG NO	30937	SHEET 1 OF 1

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY


	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

THIRD ANGLE PROJECTION		TITLE	OD 2, Ø25mm REFLECTIVE ND FILTER
ALL DIMS IN	mm	DWG NO	30938
			SHEET 1 OF 1

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING





3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY


	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

		 Edmund Optics®			
		TITLE		OD 2.5, Ø25mm REFLECTIVE ND FILTER	
ALL DIMS IN	mm	DWG NO	43811		SHEET 1 OF 1

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

Edmund Optics®

	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED




ALL DIMS IN mm

TITLE	OD 0.6, Ø25mm REFLECTIVE ND FILTER		
DWG NO	49072	SHEET 1 OF 1	

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

THIRD ANGLE PROJECTION


ALL DIMS IN mm

TITLE	OD 0.9, Ø25mm REFLECTIVE ND FILTER		
DWG NO	49075	SHEET 1 OF 1	

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY


	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

THIRD ANGLE PROJECTION		TITLE	OD 0.1, Ø25mm REFLECTIVE ND FILTER
ALL DIMS IN	mm	DWG NO	64131
			SHEET 1 OF 1

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED



ALL DIMS IN mm

Edmund Optics®

TITLE OD 0.15, Ø25mm REFLECTIVE ND FILTER


DWG NO 64132

SHEET
1 OF 1

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY


	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

THIRD ANGLE PROJECTION		TITLE	OD 0.2, Ø25mm REFLECTIVE ND FILTER
ALL DIMS IN	mm	DWG NO	64133
			SHEET 1 OF 1

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING





3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY


	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

		 Edmund Optics®	
		TITLE OD 0.4, Ø25mm REFLECTIVE ND FILTER	
ALL DIMS IN	mm	DWG NO	64134
			SHEET 1 OF 1

NOTES:




- 1. SUBSTRATE:
FLOAT GLASS
- 2. COATING (APPLY ACROSS COATING APERTURE):
S1: INCONEL
S2: NONE

**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**



3. FINE GRIND SURFACE

- 4. POWER, IRREGULARITY, AND SURFACE QUALITY SPECIFICATIONS
APPLY ACROSS CLEAR APERTURE
- 5. ROHS COMPLIANT



SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

	S1	S2
SHAPE	PLANO	PLANO
SURFACE QUALITY	80-50	80-50
BLOCKING WAVELENGTH	400 - 700	400 - 700
BEVEL	PROTECTIVE AS NEEDED	PROTECTIVE AS NEEDED

				TITLE		OD 0.7, Ø25mm REFLECTIVE ND FILTER	
THIRD ANGLE PROJECTION				DWG NO		64136	SHEET 1 OF 1
ALL DIMS IN		mm					