


NOTES:

1. SUBSTRATE
Sapphire (Al₂O₃)
Axis Orientation: Random
2. COATING (APPLY ACROSS CLEAR APERTURE)
S1 & S2: NONE
3. SURFACE S2 TO BE PARALLEL TO SURFACE S1 TO WITHIN ≤ 3.5 ARCMIN
4. FINE GRIND SURFACE
5. RoHS COMPLIANT



**FOR INFORMATION ONLY:
DO NOT MANUFACTURE
PARTS TO THIS DRAWING**

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE
DIMENSIONS ARE FOR REFERENCE ONLY

| | S1 | S2 |
|------------------|---------------------|---------------------|
| SHAPE | PLANO | PLANO |
| SURFACE QUALITY | 80 - 50 | 80 - 50 |
| SURFACE FLATNESS | 2λ (typical) | 2λ (typical) |
| CLEAR APERTURE | Ø 34.20 | Ø 34.20 |
| BEVEL | PROTECTED AS NEEDED | PROTECTED AS NEEDED |

| | | | |
|------------------------|--------|---|--------------|
| THIRD ANGLE PROJECTION | TITLE | 38.0mm Dia., 1.5mm Thick, Uncoated, Sapphire Window | |
| ALL DIMS IN mm | DWG NO | 23294 | SHEET 1 OF 1 |

EO® Edmund Optics®