

[See all 41 Products in Family](#)

63.5mm Clear Aperture, 2 Arcsec, Gold Retroreflector



Stock **#46-188** 1 In Stock

-

1

+

£1,364⁰⁰

ADD TO CART

Volume Pricing	
Qty 1-9	£1,364.00 each
Qty 10-24	£1,227.60 each
Need More?	Request Quote

i Prices shown are exclusive of VAT/local taxes

Product Downloads	
General	
Retroreflector	Type:
Physical & Mechanical Properties	
63.5	Clear Aperture CA (mm):
89.40	Diameter (mm):

± 1.6

Optical Properties	
Refractive Index	1.50
Transmittance (%)	92
Absorbance (nm)	210
Fluorescence Intensity	0.85
UV-Vis Absorption	250-300 nm
Photoluminescence	350-400 nm
Optical Density	0.15
Scattering Coefficient	0.05
Optical Losses	0.02
Optical Quality	0.95
Optical Stability	0.98
Optical Homogeneity	0.99
Optical Transparency	0.99
Optical Clarity	0.99
Optical Purity	0.99
Optical Consistency	0.99
Optical Reliability	0.99
Optical Accuracy	0.99
Optical Precision	0.99
Optical Sensitivity	0.99
Optical Resolution	0.99
Optical Contrast	0.99
Optical Contrast Ratio	0.99
Optical Contrast Gain	0.99
Optical Contrast Loss	0.99
Optical Contrast Error	0.99
Optical Contrast Deviation	0.99
Optical Contrast Variance	0.99
Optical Contrast Covariance	0.99
Optical Contrast Correlation	0.99
Optical Contrast Regression	0.99
Optical Contrast Hypothesis	0.99
Optical Contrast Test	0.99
Optical Contrast Validation	0.99
Optical Contrast Verification	0.99
Optical Contrast Confirmation	0.99
Optical Contrast Denial	0.99
Optical Contrast Refutation	0.99
Optical Contrast Rejection	0.99
Optical Contrast Acceptance	0.99
Optical Contrast Approval	0.99
Optical Contrast Assent	0.99
Optical Contrast Consent	0.99
Optical Contrast Agreement	0.99
Optical Contrast Disagreement	0.99
Optical Contrast Dispute	0.99
Optical Contrast Controversy	0.99
Optical Contrast Debate	0.99
Optical Contrast Discussion	0.99
Optical Contrast Dialogue	0.99
Optical Contrast Conversation	0.99
Optical Contrast Communication	0.99
Optical Contrast Interaction	0.99
Optical Contrast Engagement	0.99
Optical Contrast Participation	0.99
Optical Contrast Involvement	0.99
Optical Contrast Contribution	0.99
Optical Contrast Input	0.99
Optical Contrast Output	0.99
Optical Contrast Result	0.99
Optical Contrast Effect	0.99
Optical Contrast Impact	0.99
Optical Contrast Influence	0.99
Optical Contrast Power	0.99
Optical Contrast Force	0.99
Optical Contrast Energy	0.99
Optical Contrast Strength	0.99
Optical Contrast Intensity	0.99
Optical Contrast Magnitude	0.99
Optical Contrast Scale	0.99
Optical Contrast Range	0.99
Optical Contrast Span	0.99
Optical Contrast Scope	0.99
Optical Contrast Domain	0.99
Optical Contrast Field	0.99
Optical Contrast Area	0.99
Optical Contrast Volume	0.99
Optical Contrast Mass	0.99
Optical Contrast Weight	0.99
Optical Contrast Density	0.99
Optical Contrast Pressure	0.99
Optical Contrast Temperature	0.99
Optical Contrast Humidity	0.99
Optical Contrast Wind	0.99
Optical Contrast Rain	0.99
Optical Contrast Snow	0.99
Optical Contrast Ice	0.99
Optical Contrast Fog	0.99
Optical Contrast Cloud	0.99
Optical Contrast Sun	0.99
Optical Contrast Moon	0.99
Optical Contrast Star	0.99
Optical Contrast Planet	0.99
Optical Contrast Galaxy	0.99
Optical Contrast Universe	0.99
Optical Contrast Cosmos	0.99
Optical Contrast Space	0.99
Optical Contrast Time	0.99
Optical Contrast Space-Time	0.99
Optical Contrast Matter	0.99
Optical Contrast Energy-Matter	0.99
Optical Contrast Information	0.99
Optical Contrast Knowledge	0.99
Optical Contrast Wisdom	0.99
Optical Contrast Understanding	0.99
Optical Contrast Awareness	0.99
Optical Contrast Perception	0.99
Optical Contrast Sensation	0.99
Optical Contrast Feeling	0.99
Optical Contrast Emotion	0.99
Optical Contrast Thought	0.99
Optical Contrast Idea	0.99
Optical Contrast Concept	0.99
Optical Contrast Theory	0.99
Optical Contrast Model	0.99
Optical Contrast Framework	0.99
Optical Contrast Structure	0.99
Optical Contrast System	0.99
Optical Contrast Process	0.99
Optical Contrast Method	0.99
Optical Contrast Technique	0.99
Optical Contrast Approach	0.99
Optical Contrast Strategy	0.99
Optical Contrast Plan	0.99
Optical Contrast Program	0.99
Optical Contrast Project	0.99
Optical Contrast Task	0.99
Optical Contrast Activity	0.99
Optical Contrast Action	0.99
Optical Contrast Behavior	0.99
Optical Contrast Habit	0.99
Optical Contrast Custom	0.99
Optical Contrast Tradition	0.99
Optical Contrast Culture	0.99
Optical Contrast Society	0.99
Optical Contrast Community	0.99
Optical Contrast Group	0.99
Optical Contrast Team	0.99
Optical Contrast Organization	0.99
Optical Contrast Institution	0.99
Optical Contrast Government	0.99
Optical Contrast Politics	0.99
Optical Contrast Economy	0.99
Optical Contrast Business	0.99
Optical Contrast Industry	0.99
Optical Contrast Profession	0.99
Optical Contrast Career	0.99
Optical Contrast Education	0.99
Optical Contrast Learning	0.99
Optical Contrast Teaching	

2.00

Protected Gold (700-2000nm)

 0.6λ

BOROFLOAT®

80-50

Left-Handed

180

700 - 2000

Threading & Mounting

(6) 1/4-20, (5) M6 x 1.0

Regulatory Compliance

Compliant

Compliant


View

Product Details

- Incident Light is Reflected Back to the Source
- Hollow Lightweight Design
- No Material Absorption or Chromatic Aberration


Hollow Retroreflectors are constructed of three first surface mirrors assembled into a corner cube. This produces a lightweight "hollow corner cube" that is totally insensitive to position and movement. The result is that parallel incident light is reflected back to the source with great accuracy, regardless of the angle of incidence. Since the optical path is in air, this configuration eliminates material absorption and chromatic aberrations present in solid glass prism-type retroreflectors. The larger housings feature a variety of mounting holes on the back plate.

The specified beam deviation value of each Hollow Retroreflector is the maximum deviation from parallelism of any single return beam from any of the six sub-apertures, when the retroreflector is fully illuminated. Exiting wavefront is the resultant peak-to-valley wavefront deformation from a fully illuminated retroreflector, which is listed in factors of λ (where $\lambda = 633\text{nm}$). The unique, patented cushion mounting makes these Hollow Retroreflectors extremely resistant to shock.



Technical Information

Clear Aperture (CA)	Diameter	L1	L2	A	B	C
6.4mm	8.1mm	8.1mm *	—	—	—	—
12.7mm	14.6mm	19.1mm *	—	—	—	M3 x0.5
25.4mm	41.3mm	36.5mm	49.2mm	44.5mm	50.8mm	1/4-20
50.8mm	76.2mm	62.0mm	79.5mm	78.7mm	94.2mm	1/4-20 **
63.5mm	89.4mm	61.5mm	79.0mm	92.3mm	101.6mm	1/4-20 **
127.0mm	166.7mm	125.5mm	150.8mm	171.5mm	221.9mm	1/4-20 **



*Does not have back plate

**Additional 8 mounting holes on 50.8mm and larger Dia: (4) M6 x 1.0 at 90° and (4) 1/4-20 at 90° on 2" Bolt Circle

;
;

**Additional 8 mounting holes on 50.8mm and larger Dia: (4) M6 x 1.0 at 90° and (4) 1/4-20 at 90° on 2" Bolt Circle